

QUARTZ SERIES Direct Vent Gas Fireplaces



THE FEATURES YOU NEED, WITH THE OPTIONS YOU WANT.



Quartz Series Direct Vent Gas Fireplaces

The Quartz series gas fireplaces have the features you need, with the options you want. The shallow depth leaves you with living space to spare, while the versatile interior can be changed from traditional to contemporary to fit your style.

Quartz Quick Look

- Shallow depth allows for more installation possibilities
- Customize the interior with traditional or contemporary features
- Create a contemporary look now or later¹
- Available in 32", 36" or 42" models
- Up to 28,500 BTUs

ACCESSORY OPTIONS FOR YOUR QUARTZ FIREPLACE

Interior Panels – Customize the interior of your fireplace with this alternative style of decorative lining.









Reflective Black Glass

Cottage Red

Contemporary Conversion Kit – Comes standard with diamond and onyx glass and stones.¹






Onyx Glass



Stone Kit

Glass Firebed – Once you add the contemporary conversion kit, you can change the look with additional glass options.¹



Sapphire Glass





Controls – Take complete control of your comfort.



TotalRemote

Effortlessly manages heat output and comfort level with timer mode, room temperature readout, thermostat mode, flame high/low, fan speed, on/off.

Mantel Systems – Visit majesticproducts.com for a variety of options and additional information on mantel systems, shelves and stone surrounds.





Heat Management Solutions

Fan – Move heat directly into the room for added comfort.

Heat-Zone[™] Kit – Draw heat from your fireplace to another room in your home.

Heat Duct Kit - Send the warmth from your fireplace to the rest of your home via furnace ductwork.

Install Virtually Anywhere

Power Venting

A fan-powered accessory with slim venting can zigzag throughout your home—install a gas fireplace virtually anywhere.

IntelliFire[™] Ignition System

An advanced intermittent pilot ignition system. IPI constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs.

Direct Vent Technology

Direct Vent fireplaces remove 100% of combustion exhaust and odors from your space. These sealed fireplaces provide optimal heat, conserve energy and ensure clean indoor air quality.

TECHNICAL SPECIFICATIONS

MODEL			FRONT WIDTH				REAR WIDTH				HEIGHT			DEPTH				GLASS SIZE			BTU/HR INPU		
MODE	EL	A	CTUAL	F	RAMIN	G .		- Fl	RAMING	ACT	UAL	FRAMI	NG	ACTUAL	FF	AMING		JLASS	SIZE		BIO	HR INF	104
QUARTZ	Z32	[9	36" 13mm]	[37" 940mm]		25-3/4" [653]		37" [940mm]		3/8" mm]	34-3/4 [882mr		16-5/16" [415mm]		6-1/4" 13mm]		3/16" x 1 1mm x 4			15,000	- 21,00	0 (NG
QUARTZ	Z36	[10	41" 041mm]	[42" 1067mm]	30-3/4" [781mm		42" 1067mm]		7/8" :mm]	38-1/4 [972mr		16-5/16" [415mm]		6-1/4" 13mm]		1/16" x 4mm x 5			17,000	- 24,00	0 (NG
QUARTZ	Z42	[1:	48" 219mm]	[49" 1245mm]	37-3/4" [959mm		49" 1245mm]	39-9 [100		39-7/8 [1013m		16-5/16" [415mm]		6-1/4" 13mm]		1/16" x 2 2mm x 5			20,000	- 28,50	00 (NG
			Top Vi	iew					F	Front View				Left Si	de View				Right	t Side V	'iew		
														HEAT-2	ONE® ACC	ESS					øk 🛉	-	
_	P →		o	←		N ↓	<u> </u>				L De				0 x				0				
		मिसि मिसि	ØR		EE		↓ M	V V		B				0.	O X O X O X C X C X C X C X C X C X C X C	5						-	
↓ Q ↓ MODEL		-			-	N↓ ↓ ↑ ↓	↓ M G			тарияний на			N C	GAS LIN		R	S	1				X	Y
	A 36"	B 31-1/8"	ØR	D 18-1/16"	E 34-1/16"	3-9/16"	6-7/8"	23-3/8" 3	34-3/8" 36-	— в — — А — · · ·	L 8-13/16'	→ ↓ ↓ ↓ → ↓ ↓ ↓ → ↓ ↓ ↓ • ↓ ↓ ↓ • ↓ ↓ ↓ • ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	1/2" 25-3	GAS LIN () () () () () () () () () (0 3 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 7 7 7 7 7 7 7 7 7 7 7 7	6-5/8"	2-3/16"		F O → G U 1"	V 30-1/16"	LECTRICAL CCESS	X 14"	9-1/8
	A 36" [914mm] 41"	B 31-1/8" (791mm) 36-1/8"	ØR	D 18-1/16" [459mm] 21-1/2"	E 34-1/16" [865mm] 37-5/8"	3-9/16" [90mm] 3-9/16"	6-7/8" [175mm] 6-7/8"	23-3/8" 3 [594mm] [8 26-7/8" 3	34-3/8" 36- 373mm] [92 37-7/8" 39-	J K -7/16" 8" [203m	L 8-13/16' [224mm] 8-13/16'	M 16-5/16" 16-5/16" 16-5/16"	1/2" 25-3 3mm] [654r 1/2" 30-3	GAS LIN GAS LIN (227mm) (327mm) (327mm) (327mm)	Q 15-7/8" [403mm] 15-7/8"	6-5/8" [168mm] 6-5/8"	2-3/16" [56mm] 2-3/16"	T 6" [152mm] 6"	F O F O F O F O F O F O F O F O	V 30-1/16" 33-9/16"	ECTRICAL CCESS	X 14" [356mm] 14"	9-1/2 [232m 9-1/2

Efficiencies

EnerGuide (CSA P.4.1-15)

EnerGuide is the official Government of Canada mark associated with the labelling and rating of the energy consumption or energy efficiency of specific products.

QUARTZ 32	QUARTZ 36	QUARTZ 42
56.0% (NG)	50.7% (NG)	61.3% (NG)
54.1% (LP)	51.1% (LP)	60.5% (LP)




For more information about Majestic efficient and environmentally friendly products, please visit majesticproducts.com or or majesticfireplaces.ca



Limited Lifetime Warranty²

The strongest in the industry, Majestic provides a limited lifetime warranty on gas-burning products of the most important aspects: firebox and heat exchanger.



FPO FSC

2: For full warranty details go to majesticproducts.com. The information provided in this literature is for planning purposes only and subject to change. Please consult the installation manual for actual installation. Actual product appearance may differ from product images. Fireplace, stove and insert surfaces get extremely HOT and can cause severe burns if touched. Keep a safe distance away. To learn more visit www.majesticproducts.com. © 2018 Hearth & Home® Technologies

US LISTED