



PICTURED: Three (3) SANCTUARY 3

# AWS BURNER SYSTEMS

ALL WEATHER ELECTRONIC IGNITION SYSTEM 

Every project is different with its own set of unique challenges. That's why versatility is paramount when designing and constructing your outdoor project. Firegear Outdoors has developed a new system with the capability to satisfy even the most demanding jobs. This new all weather electronic ignition system will make designing your project easier as well as making installation a breeze.



## Multiple Fire Features

Run up to 4 fire features off of one power supply



## 100% Pool Certified

Place any fire feature within 5' of a water source



## Robust Weather Resistance

Extremely reliable in strong wind and heavy rain



# WHAT IS THE AWS SYSTEM?

The AWS (All Weather System) was designed to withstand harsh weather conditions, as well as eliminate many of the problems that occur when installing fire features near water sources.


## Features

Choose between an all-in-one system or build your own specific system to fit your desired needs

Able to power up to 4 fire features

100% pool certified

Extremely reliable in harsh weather conditions



## HOW IS IT POWERED?

There are two power supplies for the AWS System. Each one has its own unique benefits in order to match the specifications of your specific fire pit project.

### OPTION 1: GOE-30DCV




#### FEATURES

Self contained system

Used for a single fire feature

All components housed underneath burner system



### OPTION 2: FG-PS-30V320




#### FEATURES

Daisy chain up to 4 burner systems

Pool / Spa certified within 5 feet of a water source

Can be used for a single fire feature if desired



# STANDARD FPB – SINGLE BURNER SYSTEMS

All standard models come with a Firegear Outdoors fire pit burner system, AWS components & a GOE-30DCV power supply.

**All standard models must be placed at least 10' AWAY from a water source.**

If you want to place your AWS system within 5' of a water source, please see page 4 to build your desired system.

## Fire Pit Burner System

- Pan (or Flat)
- Spur Burner
- Gas Flex Line
- Key Valve
- Key Cover
- 12" Key

## AWS System

- Valve
- Heat Shield
- Power Supply
- Pilot Assembly
- Remote & Receiver
- Hardware Bag



### ROUND PAN

Sizes: 29 / 33



### SQUARE PAN

Sizes: 20 / 26 / 32 / 38



### ROUND FLAT

Sizes: 26 / 29 / 34 / 44



### SQUARE FLAT

Sizes: 25 / 30 / 40

# SANCTUARY SERIES – SINGLE BURNER SYSTEMS

All standard Sanctuary Series models come with a GFRC Bowl, fire pit burner system, AWS components & a GOE-30DCV power supply.

**All standard models must be placed at least 10' AWAY from a water source.**

If you want to place your AWS system within 5' of a water source, see page 4 to build your desired system.



### SANCTUARY 2

Dimensions: 38 3/4" Diameter x 18" H

Outdoor GFRC Fire Bowl – 222 lbs.

Ships as Natural Gas. Liquid Propane (LP) conversion kits sold separately.

Natural Gas: 65,000 BTU's

Includes weather cover



### SANCTUARY 3

Dimensions: 30" Diameter x 14 1/4" H

Outdoor GFRC Fire Bowl – 112 lbs.

Ships as Natural Gas. Liquid Propane (LP) conversion kits sold separately.

Natural Gas: 65,000 BTU's

Includes weather cover

**PLEASE NOTE:** Not all components that ship with the Sanctuary 3 AWS system can fit inside the bowl. Some components will need to be housed in either a pedestal or other location underneath the Sanctuary bowl.



# AWS A LA CARTE

THESE KITS DO NOT INCLUDE BURNER OR PAN

## SINGLE FIRE FEATURE




### KIT: FG-AWS30VDC-RCK

Used for a single fire feature

Can only be installed in fire features that are greater than 10 feet away from a pool or spa

All components can be housed underneath the burner



**Model:** FG-SCNG-FS30VDC  
Valve, 24" Pilot assembly, Heat shield & 30VDC wire leads.



**Model:** FG-1420-AOD  
Remote control, weather proof box & cover.



**Model:** GOE-30DCV  
Power supply for single installs greater than 10 feet away from pool / spa.



**Model:** AWS-HARDWARE-BAG  
Metal plate, (4) 10-24x1/2" screws, (1) Brass nut, (2) 8-18x1/2" screws, (4) wire nuts, (1) 1/2"NPT x 1/2" Flare, (2) 48" red ext wire.


## MULTIPLE FIRE FEATURES



### KIT: FG-SCNG-FS30VDCK

Used when running 1 - 4 fire features. Also used when running a single or multiple fire features within 5 feet of a pool / spa

One (1) kit per fire feature. One power supply (sold separately) for every 4 fire features



**Model:** FG-SCNG-FS30VDC  
Valve, 24" Pilot assembly, Heat shield & 30VDC wire leads. (1) required per fire feature.



**Model:** AWS-HARDWARE-BAG  
Metal plate, (4) 10-24x1/2" screws, (1) Brass nut, (2) 8-18x1/2" screws, (4) wire nuts, (1) 1/2"NPT x 1/2" Flare, (2) 48" red ext wire.

### POWER SUPPLY: FG-PS-30V320



Pool Certified low voltage power supply allowing you to place burner systems within 5 feet of a pool or spa. Power supply must be installed at least 10 feet away from any water source. (1) required for every (4) fire features.

## A LA CARTE ACCESSORIES



**Model:** FG-EMER-STOP

Electrical Emergency Stop for 120VAC or 30VDC Appliances, housed in Weatherproof J-Box and Weatherproof Cover



**Model:** FG-TIMER-2HR

120VAC Two (2) Hour Mechanical Timer, housed in Weatherproof J-Box and Weatherproof Cover



**Model:** FG-WS-OD

120VAC Wired Wall Switch housed in Weatherproof J-Box and Weatherproof Cover



THE BEST ROOM IN THE HOUSE  
ISN'T IN THE HOUSE AT ALL

firegearoutdoors.com  
Tech: 1.800.966.8126  
Sales: 1.800.966.8126