




SMART REGISTER BOOSTER

MODEL: HC600 / HC600-WK



MOST VERSATILE & ENERGY EFFICIENT REGISTER BOOSTER ON THE MARKET!

The Equalizer® EZ8 boosts heated or cooled air to a room to improve circulation and comfort. The powerful fan works to pull extra air out of weak registers, **increasing airflow by up to 300%!** A simple and safe solution for rooms that are too hot or too cold.

OPTIONAL WALL MOUNTING KIT (SOLD SEPARATELY)



HC6WK1



ENERGY EFFICIENT



SELF-LEARNING TECHNOLOGY



- Automatically turns on/off with HVAC system.
- **Patent pending intelligent technology** delivers hands off auto functionality with no seasonal temperature settings necessary.
- 8 fan speed settings.
- Set-up in seconds. Just plug-in, set on the register and enjoy increased comfort.
- Quiet operation.
- Fits any register that is 6"x12" or smaller.
- Can be installed on floor or wall registers.
(Wall mount kit sold separately)

Booster & wall mount also sold together
- HC600-WK

Model	Unit Weight	Unit Size	Volts	Cord Length
HC600 / HC600-WK	1.50 lbs.	14-7/32" x 6-27/32"	12Vdc 500 mA	6'

FAN SPEED	1	2	3	4	5	6	7	8
CFM	63	88	110	141	163	179	191	203
DBA	<50	<50	<50	53.6	55.5	57.7	59.5	61.7
WATTS	1.1	1.8	2.6	4.2	5.8	8.0	10.2	12.3
*ROOM SQ. FT.	65-95	95-130	115-165	150-210	175-240	190-265	200-285	215-305

*Assuming 8' ceiling height

QUALITY | COMFORT | CONTROL

CATHC600-1220



SMART REGISTER BOOSTER

MODEL: **HC500-B**



MOST VERSATILE & ENERGY EFFICIENT REGISTER BOOSTER ON THE MARKET!

The Flush Fit® Register Booster™ boosts heated or cooled air to a room to improve circulation and comfort. The powerful fan works to pull extra air out of weak registers, **increasing airflow by up to 85%!** A simple and safe solution for rooms that are too hot or too cold.

ADAPTER PLATE (SOLD SEPARATELY) HC5PL1-B



For Register Sizes:
4" x 12"
6" x 10"
6" x 12"



ENERGY
EFFICIENT



SELF-LEARNING
TECHNOLOGY




- Automatically turns on/off with HVAC system.
- **Patent pending intelligent technology** delivers hands off auto functionality with no seasonal temperature settings necessary.
- 5 fan speed settings.
- Set-up in seconds. Just plug-in, set in the register and enjoy increased comfort.
- Quiet operation.
- Booster fan fits flush into floor and wall registers that are 4" x 10" for a clean, contemporary look.
- Can be installed in floor or wall registers.

Booster & adapter plate also sold together
- HC500-WPL

Model	Unit Weight	Unit Size	Volts	CFM	Running Watts	DBA	Cord Length
HC500-W	1.45 lbs.	11-5/8" x 5-5/8"	12Vdc 500 mA	Up to 132	Up to 3.9	Up to 53	6'

QUALITY | COMFORT | CONTROL

CATHC500-B-1220



SMART REGISTER **BOOSTER**

MODEL: HC500-BPL



MOST VERSATILE & ENERGY EFFICIENT REGISTER BOOSTER ON THE MARKET!

The Flush Fit® Register Booster™ boosts heated or cooled air to a room to improve circulation and comfort. The powerful fan works to pull extra air out of weak registers, **increasing airflow by up to 85%!** A simple and safe solution for rooms that are too hot or too cold.

INCLUDES ADAPTER PLATE HC5PL1-B



For Register Sizes:
4" x 12"
6" x 10"
6" x 12"



- Automatically turns on/off with HVAC system.
- **Patent pending intelligent technology** delivers hands off auto functionality with no seasonal temperature settings necessary.
- 5 fan speed settings.
- Set-up in seconds. Just plug-in, set in the register and enjoy increased comfort.
- Quiet operation.
- Booster fan fits flush into floor and wall registers that are 4" x 10" for a clean, contemporary look.
- Can be installed in floor or wall registers.

Model	Unit Weight	Unit Size	Volts	CFM	Running Watts	DBA	Cord Length
HC500-BPL	1.45 lbs.	11-5/8" x 5-5/8"	12Vdc 500 mA	Up to 132	Up to 3.9	Up to 53	6'

QUALITY | COMFORT | CONTROL

CATHC500-BPL-1220



SMART REGISTER BOOSTER

MODEL: HC500-W



MOST VERSATILE & ENERGY EFFICIENT REGISTER BOOSTER ON THE MARKET!

The Flush Fit® Register Booster™ boosts heated or cooled air to a room to improve circulation and comfort. The powerful fan works to pull extra air out of underperforming registers, **increasing airflow by up to 85%**. A simple and safe solution for rooms that are too hot or too cold.

ADAPTER PLATE (SOLD SEPARATELY) HC5PL1-W



For Register Sizes:
4" x 12"
6" x 10"
6" x 12"



ENERGY
EFFICIENT



SELF-LEARNING
TECHNOLOGY



- Automatically turns on/off with HVAC system.
- **Patent pending intelligent technology** delivers hands off auto functionality with no seasonal temperature settings necessary.
- 5 fan speed settings.
- Set-up in seconds. Just plug-in, set in the register and enjoy increased comfort.
- Quiet operation.
- Booster fan fits flush into floor and wall registers that are 4" x 10" for a clean, contemporary look.
- Can be installed in floor or wall registers.

**Booster & adapter plate also sold together
- HC500-WPL**

Model	Unit Weight	Unit Size	Volts	CFM	Running Watts	DBA	Cord Length
HC500-W	1.45 lbs.	11-5/8" x 5-5/8"	12Vdc 500 mA	Up to 132	Up to 3.9	Up to 53	6'

QUALITY | COMFORT | CONTROL

CATHC500-W-1220



SMART REGISTER BOOSTER

MODEL: HC500-WPL



MOST VERSATILE & ENERGY EFFICIENT REGISTER BOOSTER ON THE MARKET!

The Flush Fit® Register Booster™ boosts heated or cooled air to a room to improve circulation and comfort. The powerful fan works to pull extra air out of weak registers, **increasing airflow by up to 85%!** A simple and safe solution for rooms that are too hot or too cold.

INCLUDES ADAPTER PLATE HC5PL1-W



For Register Sizes:
4" x 12"
6" x 10"
6" x 12"



- Automatically turns on/off with HVAC system.
- **Patent pending intelligent technology** delivers hands off auto functionality with no seasonal temperature settings necessary.
- 5 fan speed settings.
- Set-up in seconds. Just plug-in, set in the register and enjoy increased comfort.
- Quiet operation.
- Booster fan fits flush into floor and wall registers that are 4" x 10" for a clean, contemporary look.
- Can be installed in floor or wall registers.

Model	Unit Weight	Unit Size	Volts	CFM	Running Watts	DBA	Cord Length
HC500-WPL	1.45 lbs.	11-5/8" x 5-5/8"	12Vdc 500 mA	Up to 132	Up to 3.9	Up to 53	6'

QUALITY | COMFORT | CONTROL

CATHC500-WPL-1220