



# Cold Plasma Technology

## Cold Plasma CPT60 spot cooler

### Needlepoint Bipolar Ionization

**Ion Generation** Total Positive/Negative Ion Output >350M ions/cc/sec

**Cooling Capacity** Btu/hr @ 95°  
60% Relative Humidity 60,000  
Operating Range: Min-Max F° 64°-106°

**Dimensions**  
Width (Inches) 29  
Depth (Inches) 54.5  
Height (Inches) 58.3  
Weight (Pounds) 573

**Electrical Specifications**  
Power Supply (Volts) 208/230  
Current Consumption (Amps) 36  
Fuse Size (Amps) 50  
Plug Configuration 6-50  
Voltage (Min-Max) 208-240  
Power Cord Length (Feet) 8

**Fan Characteristics**  
Evaporator:  
Air Flow (CFM) High/Low 1650/1150  
Condenser:  
Air Flow (CFM) High/Low 3535

**Compressor Specifications**  
Compressor Type Rotary  
Refrigerant Type R-410A

**Safety Devices**  
Compressor Overcurrent Protection Yes  
Fan Motor Protection Yes  
Anti-Freeze Thermostat Yes  
LED Thermostat Yes  
Fan Mode Switch Yes  
Automatic Restart Yes  
Built in Pump Yes  
Audible Condensate Shut Off Alarm Yes  
Built In Safety Switch for Condensate Pump Yes  
LED Control Panel with Timer Yes  
UL2998 Certified Ozone Free Yes



**5Ton**

**ClimaTemp**  
Portables

[www.Clima-Temp.com](http://www.Clima-Temp.com)  
1-844-349-5665