



SONOMA 56

The Sonoma 56 fire pit is handmade by Dekko in North America. Ships with your choice of NG or LP burner, one decorative aggregate option and chrome On/Off key.


Size: 56"W x 30"D x 16"H
CSA/UL Approved Burner Assembly




Colour Options




NATURAL




LIMESTONE




CLAY



ASH



SANDSTONE



CHARCOAL

Decorative Aggregate Options



IVORY BEACH
STONE



SLATE BEACH
STONE



BLACK LAVA
ROCK

	Manual Ignition	Electronic Ignition
BTU/Hr	65,000	115,000
Weight	190 lbs	190 lbs
Fuel Options	NG/LP	NG/LP


Optional Accessories:

Propane Tank Cover 16"W x 16"D x 21"H


Glass Wind Guard 43"W x 15"D x 6"H

Vinyl Weather Cover


Powder Coated Aluminium Table Top 56"W x 30"D



PLAN VIEW



ISOMETRIC VIEW




FRONT ELEVATION



SIDE ELEVATION




Clearances



Burner Assembly

37" Match Lit Burner





Clearances

Overhead solid structure:
(Floor, overhang, pergola or screen)

Residential or
Commercial
Building on
no more than
2 sides.

84"

36"

36"

Solid structure
or combustible
on no more than
2 sides.
- 12" minimum
clearance for
noncombustible
materials.

Note:
Electronic ignition burners require
a fixed piping gas supply. Not for
use with portable LP tanks.



Note:
Deck Installation - if installing fire pit on
a wood or composite deck, it is required
to use the deck insulation kit. Kit
includes basalt material and instructions.

Burner Assembly



Electrical:

120V Outdoor receptacle required.
Must be installed and grounded in
accordance with local codes.

37" Electronic Ignition
Burner



ON/OFF remote
control
included with
Electronic
Ignition models



SECTION VIEW EI