

DIRECT VENT GAS FIREPLACE INSERTS



Available IntelliFire®
app and voice control





Ruby

Ruby 25 shown with Inside Fit front and trimable custom surround in black.

Customize your insert

Gas inserts from Majestic are easy to use and fit your style. Choose from traditional split-wood logs that glow or a contemporary look including driftwood log options. Simplify your life with a Majestic fireplace.

Fronts



Contemporary Arch available in black or bronze



Clean Screen available in black or bronze



Inside Fit available in black only

Interior Panels



Cottage Red



Tavern Brown



Reflective Black Glass available on Ruby 25", 30" and 35"

Accent Lights



Available on Ruby 30" and 35"



Ruby

Ruby 30 shown with contemporary conversion kit, Clean Screen front and surround in black, black reflective glass interior and driftwood logs.

Contemporary Conversion Kit (available for Ruby 30" and 35")

Comes standard with diamond and onyx glass.

Once you add the contemporary conversion kit, you can change the look with additional glass, stone, or driftwood log options.



Diamond Glass



Sapphire Glass



Bronze Glass



Onyx Glass



Stone



Driftwood Logs

Majestic Gas Insert Comparison Chart	Ruby	Jasper
Sizes	25", 30", 35"	30"
Efficiency	Up to 71%	Up to 70%
Interior panel choices	3 Designs	2 Designs
Front choices	3 Designs	3 Designs
Battery backup	Standard	Standard
Adjustable flames	Standard	Standard
Fan	Standard	Optional
Remote control	Standard	Optional
IntelliFire® app and voice control	Optional	N/A
Contemporary glass firebed	Optional*	N/A
Log set choices (split-wood or driftwood)	Optional*	N/A
Lights	Optional*	N/A

*Available on 30" and 35" only



Jasper Jasper 30 shown with Clean Screen front and surround in black and Cottage Red interior.

Ruby Controls



IntelliFire App – All the features of a remote control with an app installed on your smart device. Monitor your fire from anywhere or even control it with the sound of your voice. IntelliFire is compatible with voice assistants Amazon Alexa and Google Assistant.



Touchscreen Remote – Features: on/off, flame height adjustment, fan speed, lights adjustment, thermostat mode, room temperature readout, child lock, timer mode, battery backup, cold climate mode, power vent, wall docking station (fan, lights and power vent are dependent on your fireplace).



Wireless Wall Switch – Features: on/off, battery strength indicator, cold climate mode

Jasper Control



SmartRemote – An added level of function and convenience in a remote control, with timer mode, thermostat mode, room temperature readout, on/off.

Termination Caps

A termination cap finishes your gas insert with a clean, upscale look. These durable caps also protect venting components and ensure safe exhaust flow.



Round Termination Cap



Square Termination Cap
(available in Black or Copper finish)

Convert a drafty, wood-burning fireplace into an efficient, beautiful focal point by installing a Majestic gas fireplace insert in just three easy steps.




Ruby 35" with Contemporary Arch front and surround in bronze with Tavern Brown interior.

STEP 1: Measure your existing fireplace opening and choose your insert

The height, width and depth of the existing fireplace opening is needed to ensure an appropriately sized insert is selected.

- A. Fireplace front width _____
- B. Fireplace front height _____
- C. Fireplace back width _____
- D. Fireplace depth _____
- E. Hearth to mantel height _____



STEP 2: Select your surround and front


A surround fills the gap between the fireplace insert and existing fireplace opening. Choose from three sizes and two finishes for a unique look.

Personalize your insert with a front that fits your style. Select from three styles and two finishes.



SURROUND SIZE	RUBY35IN	RUBY30IN JASPER30IN	RUBY25IN
Small	42" x 29"	40" x 27"	35" x 23"
Medium	44" x 32"	42" x 30"	37" x 26"
Large	48" x 32"	44" x 32"	39" x 28"

Front and Surround Finishes



Black



Bronze

STEP 3: Select your options to customize your insert

Choose from our collection of interior panels, contemporary conversion kits and interior media to put the finishing touches on your insert.

Technologies

Ruby Series

IntelliFire Touch® Ignition System

IntelliFire Touch is our most advanced intermittent-pilot ignition (IP) system, making operating your appliance simple, smart and safe. Select from the IntelliFire app, touchscreen remote or wireless wall switch for the solution that fits your life.

Jasper

IntelliFire Ignition System

IntelliFire features intermittent-pilot ignition (IPI) allowing you to conserve fuel and money when the fireplace is not in use.


Direct Vent Technology

Direct Vent gas inserts remove 100% of combustion exhaust and fumes to the outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.


Technical Specifications

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA (E X F)	BTU/HR INPUT
	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING		
RUBY25IN	26-1/8" (664mm)	26-5/8" (676mm)	14-5/8" (372mm)	15-1/8" (384mm)	17-1/16" (433mm)	17-5/16" (439mm)	14-1/2" (368mm)	15" (381mm)	22-1/2" X 12-7/16" (572mm X 316mm)	27,000
RUBY30IN	31-1/8" (791mm)	31-5/8" (803mm)	19-5/8" (499mm)	20-1/8" (511mm)	20-3/4" (527mm)	21" (533mm)	14-1/2" (368mm)	15" (381mm)	27-1/2" X 15-15/16" (699mm X 405mm)	32,700
RUBY35IN	36-1/8" (918mm)	36-5/8" (930mm)	24-5/8" (626mm)	25-1/8" (638mm)	24" (610mm)	24-1/4" (616mm)	14-1/2" (368mm)	15" (381mm)	32-1/2" X 19-3/8" (826mm X 492mm)	35,000
JASPER30IN	31-1/8" (791mm)	31-5/8" (803mm)	19-5/8" (499mm)	20-1/8" (511mm)	20-3/4" (527mm)	21" (533mm)	14-1/2" (368mm)	15" (381mm)	27-1/2" X 15-15/16" (699mm X 405mm)	30,000


Left View




Front View



Top View



Right View



Dimensions are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. NOTE: Combustible material should not cover the face. Refer to installation manual for detailed specifications on installing this product. Hearth & Home Technologies® reserves the right to update units periodically. Actual product appearance, including flame, may differ from product images.

EnerGuide (CSA P.4.1-15) Ratings

Used in Canada and some U.S. states to measure annual fireplace efficiency.


RUBY25IN	RUBY30IN	RUBY35IN	JASPER30IN
68% (NG) 66% (LP)	71% (NG) 71% (LP)	72% (NG) 71% (LP)	68% (NG) 70% (LP)

Your Majestic Dealer:

Limited Lifetime Warranty³

The strongest in the industry, Majestic provides a limited lifetime warranty on the most important aspects of our gas-burning products: firebox and heat exchanger.

1 Order a conversion kit when using LP. 2 Refer to installation manual for zero clearance install guidelines. 3 For full warranty details go to majesticproducts.com. The information provided in this literature is for planning purposes only and subject to change. Please consult the installation manual for actual installation. Actual product appearance may differ from product images. Fireplace, stove and insert surfaces get extremely HOT and can cause severe burns if touched. Keep a safe distance away. To learn more visit www.majesticproducts.com. ©2020 Hearth & Home Technologies®
Google and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



MAJ-1031U-0520



majesticproducts.com
majesticfireplaces.ca