## 5TH GENERATION ADVANTAGE SERIES

DUCTLESS MINI-SPLIT HEAT PUMP



- ✓ Affordable
- ✓ Highly Efficient
- ✓ Low Ambient Cooling
- ✓ 16 Ft Install Kit Included\*\*

\*\*Must be installed by HVAC technician

**SCAN HERE** ) for the most up-to-date version of this brochure.



\*Pat: https://www.mrcool.com/mrcool-patents/

Version Date: 07-08-2025

## **FEATURES**





**Leakage Detection** 



Follow me®



**Gold Fin® Condenser** 



Smartphone App



**Low Ambient Cooling** 



**Quiet Running** 



**DC Inverter** 

MODEL NO.		Indoor Unit	A-09-HP-WMAH-115D-0	A-12-HP-WMAH-115D-O	A-09-HP-WMAH-230D-0	
		Outdoor Unit	A-09-HP-C-115D-O	A-12-HP-C-115D-O	A-09-HP-C-230D-O	
CAPACITY & PERFO	ORMANCE	·				
Cooling Capacity Btu/h		Btu/h	9000 12000		9000	
	SEER2	Btu/w	21.5	21.2	21.2	
	EER2	Btu/w	12.5	10.1	12.6	
Heating Capacity		Btu/h	10000	12000	10000	
	HSPF2-4	Btu/w	9.0	8.7	9.1	
	HSPF2-5	Btu/w	7.0	6.7	7.0	
Max Coverage Area* sq.		sq. ft.	Up to 400	Up to 550	Up to 400	
Outdoor noise level (Hi) dB(A)		dB(A)	52.5	54.0	53.5	
*Max Coverage Area is	determined using idea	al installation conditions.				
ELECTRICAL PARTS	5					
Power Supply		V ~ Hz.Ph	115V~ 60Hz, 1Ph	115V~ 60Hz, 1Ph	208-230V~ 60Hz, 1Ph	
Minimum Circuit (Disc	connect)					
	Indoor	A	3.0	3.0	3.0	
	Outdoor	A	18.0	19.0	12.0	
Maximum Fuse (Bre	aker)					
	Indoor	A	15.0	15.0	15.0	
	Outdoor	A	20.0	20.0	15.0	
DIMENSIONS & W	EIGHT					
Net Dimension (Wx						
	Indoor	inch	28.43 x 7.36 x 11.42	31.57 x 7.44 x 11.69	28.43 x 7.36 x 11.42	
	Outdoor	inch	30.12 x 11.93 x 21.85	30.12 x 11.93 x 21.85	30.12 x 11.93 x 21.85	
Packing Dimension						
T detining billionision	Indoor	inch	31.10 x 10.63 x 14.76	34.45 x 11.22 x 14.96	31.10 x 10.63 x 14.76	
	Outdoor	inch	34.92 x 13.27 x 24.02	34.92 x 13.27 x 24.02	34.92 x 13.27 x 24.02	
Net/Gross Weight	outdoor	iiicii	J IJE N IJE I NE IIVE	3 1.32 X 13.27 X 2 1.02	J I.JE N IJ.EF N E II.OE	
They gloss treight	Indoor	lbs	17.42/22.93	19.40/25.13	16.98/22.27	
	Outdoor	lbs	56.66/62.17	61.29/67.02	54.23/59.74	
REBATE SUMMARY		193	5000/ VE.II	0.125J 01.0E	5	
Energy Star V6.1			·		· ·	
			•		· · ·	
Energy Star V6.1 Cold Climate Federal Tax Credits			<b>✓</b>		· · ·	
NEEP NEEP			· · · · · · · · · · · · · · · · · · ·	<b>✓</b>	V	
GHG			· · · · · · · · · · · · · · · · · · ·	<b>*</b>	<i>V</i>	
			· · · · · · · · · · · · · · · · · · ·	<b>V</b>	<i>V</i>	
CEE Tier 1 - North			<b>V</b>	<b>V</b>	<i>V</i>	
CEE Tier 2 - North			.,			
CEE Tier 1 - South			<i>V</i>		<i>V</i>	
CEE Tier 2 - South MASS Save			<b>✓</b>		<i>V</i>	



MODEL NO.		Indoor Unit	A-12-HP-WMAH-230D-O	A-18-HP-WMAH-230D-0	A-24-HP-WMAH-230D-0	A-36-HP-WMAH-230D-0
		Outdoor Unit	A-12-HP-C-230D-O	A-18-HP-C-230D-O	A-24-HP-C-230D-O	A-36-HP-C-230D-O
CAPACITY & PERFO	RMANCE					
Cooling Capacity		Btu/h	12000	18000	24000	36000
	SEER2	Btu/w	21.3	19.2	18.7	18.0
	EER2	Btu/w	10.8	10.8	10.0	9.0
Heating Capacity		Btu/h	12000	18800	24000	36000
	HSPF2-4	Btu/w	9.1	9.6	9.3	8.5
	HSPF2-5	Btu/w	7.0	7.5	7.3	6.8
Max Coverage Area*		sq. ft.	Up to 550	Up to 800	Up to 1050	Up to 1550
Outdoor noise level (Hi)		dB(A)	54.0	56.0	59.5	60.5
*Max Coverage Area is d	etermined using ideal inst	allation conditions.				
<b>ELECTRICAL PARTS</b>						
Power Supply		V ~ Hz.Ph	208-230V~ 60Hz, 1P	208-230V~ 60Hz, 1P	208-230V~ 60Hz, 1P	208-230V~ 60Hz, 1P
Minimum Circuit (Disco	onnect)					
	Indoor	A	3.0	3.0	3.0	3.0
	Outdoor	A	13.0	15.0	19.0	33.0
Maximum Fuse (Brea	ker)					
	Indoor	А	15.0	15.0	15.0	15.0
	Outdoor	A	15.0	20.0	20.0	35.0
DIMENSIONS & WE	GHT					
Net Dimension (WxD	xH)					
	Indoor	inch	31.57 x 7.44 x 11.69	37.99 x 8.46 x 12.56	42.52 x 8.90 x 13.19	49.57 x 11.10 x 14.25
	Outdoor	inch	30.12 x 11.93 x 21.85	31.69 x 12.99 x 21.81	35.04 x 13.46 x 26.50	37.24 x 16.14 x 31.89
Packing Dimension (WxDxH)						
	Indoor	inch	34.45 x 11.22 x 14.96	41.14 x 12.01 x 16.14	45.47 x 16.34 x 12.60	52.76 x 17.72 x 15.16
	Outdoor	inch	34.92 x 13.27 x 24.02	36.02 x 14.57 x 24.21	39.17 x 15.67 x 29.13	42.91 x 19.68 x 34.84
Net/Gross Weight	,					
	Indoor	lbs	19.40/25.13	24.47/32.63	30.64/39.46	40.34/54.01
	Outdoor	lbs	59.08/64.37	72.31/78.48	94.58/102.29	150.35/160.27
REBATE SUMMARY						
Energy Star V6.1						
Energy Star V6.1 Cold Climate					<b>✓</b>	
Federal Tax Credits						
NEEP		<b>V</b>	V	<b>✓</b>	~	
GHG					<b>✓</b>	
CEE Tier 1 - North		V	V	<b>✓</b>	~	
CEE Tier 2 - North			<b>✓</b>			
CEE Tier 1 - South						
CEE Tier 2 - South						
MASS Save				<b>✓</b>		



\*The original, registered owner must be enrolled in the MRCOOL® Care Program every year in order to qualify for the 2 year full unit replacement for compressor failure and lifetime compressor replacement.